



April- June 2019 | Vol. 03rd | Issue: 2nd

International Journal of Research in Indian Medicine

"Effect of Karvir Taila in the management of Garbhini Kikwis: A case study."

Shailaja Pore¹, Jayshree Deshmukh²

- 1. M. S. Scholar,
- 2. H.O.D and Professor,

Department of Prasutitantra avum Streerog,

CSMSS Ayurved Mahavidyalaya, Aurangabad, Maharashtra, India

*Corresponding author: dr.aarogyam@gmail.com

Ethical approval:

Approved by the Institutional ethics committee

Conflict of Interest:

None declared

Sources of Funding: None

Date of Submission: 31/01/2019.

Date of Peer Review: 18/03/2019.

Date of Acceptance: 29/03/2019.

Date of Publishing: 09/04/2019.

Name of Publication:

Dudhamal Publications (OCP)
Pvt. Ltd., Chembur, Mumbai,
Maharashtra, India

Abstract

Now a days as everybody is conscious about skin, its tone & complexion. Every female wants to become pregnant. During pregnancy woman has to face many physiological & anatomical changes that includes skin changes over the face & abdomen. During pregnancy each has to suffer with kikwis i.e. striae gravidarum. As it causes permanent discolouration and harmless the beauty there is need for treatment. Ayurved Acharyas have elaborated the treatment for Garbhini kikwis. In Garbhini kikwis mainly symptoms of kandu & vaivarnya. Karvir taila has mainly kaphavata Shamak, Vranashodhan, Vranaropan & twachya

Keywords:

Garbhin kikwis, Garbhini paricharya kandu, Vaivarnya

Introduction:

A woman is the symbol of beauty created by god. Woman play a divine role in utpatti, dharan & poshan of Garbha.

Being a mother is the wonderful feeling for each & every woman expects fruitful pregnancy & delivery. Hence it is most important to improve the physical as well as mental health of garbhini. For this purpose our acharyas describes the garbhini. paricharya for While Garbhini mentioning Paricharya. Charakacharya has elaborated Garbhini kikwis & its management.

Garbhini kikwis striae i.e. stretch marks Vurline gravidarum, are the occurring during pregnancy. They usually occur during second trimester pregnancy. It includes symptoms like kandu, Daha & vaivarnya. Kandu & vaivarnya are seen especially over abdomen, brest region & thighs.

Histological striae consist of Areas of Broken & curled elastic fibres in center. Striae are slightly depressed linear marks perpendicular to skin tension fibres with varying length & breadth found in pregnancy. They are predominantly found in abdominal wall, sometimes over thighs & breast.

The treatment options available are local applications of cocoa butter, olive oil etc. The other options are dermaberation, laser surgery. But these are expensive & invasive. Hence Ayurved preparation need to be used as they are less expensive & non invasive.

Here we have used karvir tail for local application in Garbhini Kikwis. This remedy has been mentioned for the same in Asthang sangraha & charak samhita. Karvir has qualities like kaphavatashamak, vranashodhan, vranaropan & kushtagna. Hence it is useful in treating kandu & vaivarnya in Gharbhini kiwis.

- Disease review:

According to Charakacharya, the woman, says that due to growth of scalp mother gets vidaha (burning sensation) resulting into development of kikwis, however, atreya says No; it is not so; the growing fetus displaces the doshas upwards, thus this vata, pitta & kapha reaching uras (chest-charak) or hriday (heart-vaghbata) Produce burning sensation which causes itching.

Chakrapani says that growth of hair cannot be the cause, as these start developing from month itself. Indu tikakar says that, linear contraction of the skin are kikwis. Arundatta has included burning sensation of palm and sole as a symptom.

Striae gravidarum is also known as stretch marks. It is atrophic, pinkish, or

purplish scar like lesions. later becoming white on the breast, thighs, abdomen & buttocks due to weakening of elastic tissues associated with pregnancy.

Drugs Review;

Name of	Karvir	Tila
drugs		
Latin name	Nerium odorum	Sesamum indicum
Family name	Apocynacae	pedaliaceae
Guna	Laghu, Ruksha, Tikshna	Guru, Snigdha, Ushna,Sukshma
Rasa	Katu ,tikta	Madhur, Kahsay, Tikta
Virya	Ushna	Madhura
Vipak	Katu	Ushna
Doshaghnata	Kaph & vaat shamak	Vataghna
Karma	Vranshodhan, vranropan,	Vaatghna, Bala-Varnakar, lekhan,
	kushtaghna, twachya shothahara	172 0chya,keshya

Clinical study:

22 yrs, female patients with *primigravida* with 28wks pregnancy with complaining of *kandu and vaivarya* on the abdomen was selected for study.

Preparation of drug:

Karavir taila was prepared as per Sharangdhar samhita.

1 part: kalk of karvir

4 parts: tila tail

Firstly *tila* tail was heated till *fenodbhava* then *kalk* of *karvir* added to it. This was

heated on slow flame. Heating was stopped after presence of *siddhi lakshanas* of *tail*.

Method of application:

Karvir taila is applied over abdomen in circular (clockwise direction) manner. Gently with soft hand twice in day

Duration:

From onset of 7th month till completion of 9th month.

Matra: 10 ml twice a day.

Follow up: After 15days.

Conclusion:

Ancient scholar of ayurveda was very much aware about the need of maternal care during pregnancy. Ayurveda described variety of treatment for the management of Gharbhini kikwis. The symptoms assessed were kandu &vaivarnya in Garbhini kikwis. karvir taila was used for local application over the abdomen.

Karvir taila has antioxidant & antimicrobial agent also antifungal. Tila taila has kaphapittashamak & vatashamak. snigdha guna of Tila taila help in correction of khavaigunya of artavaha srotas. vatakaphashamak properties help in breakdown of the samprapti of garbhini kikwis. Tila taila is good for therapies like enema, oleation (snehan) & massage.

The formulation i.e. *karvir taila* if used regularly & from earlier gestation will help in preventing striae formation. As mentioned in samhitas kandu is to be prohibited to prevent the *vaivarnya* (striae

formation). While concluding we can say that the formulation is effective in treating *Garbhini kikwis*.

Results:

The results obtained show that the *Karvir taila* is highly effective in treating *kandu& vaivarnya in garbhini kikwis*.

References:

- Charak samhita, sutrasthan 8/32;chakrapani commentary; varanasi; chaukhamba prakashan 1984.
- 2. Ashtang sangraha; sharirsthan 3/4;indu commentary; varanasi; chaukhamba prakashan,1987.
- Ashtang hriday; sharirsthan 1/59-62, Varanasi, chaukhamba prakashan.1982.
 - 4. Text book of obstetric, D.C. Dutta,9th edition 2018.
 - Bhaishajya ratnawali varanasi,chaukhamba prakashan.
 - Sharangdhar samhita, chaukhamba sankrit sansthan, Varanasi 2009.

How to Cite this article:

"Effect of *Karvir Taila* in the management of *Garbhini Kikwis*: A single case study."

Shailaja Pore, Jayshree Deshmukh

Ayurline: International Journal of Research In Indian Medicine 2019; 3(2): pages: 01-04