

Conceptual study: Thermogenic and sweating effects of *Svedan Chikitsa* using modern tools.

¹*Akshaya G. Patil, ²Hetal Mori Jariwala

¹ Associate Professor,

² Assistant. Professor, Contact no.9819790682, Email ID: drhetal.ayu@swarnnim.edu.in

Department of Panchakarma, Aarihant Ayurvedic Medical College and Research Institute, Gandhinagar, Gujarat;

*Corresponding Author: Email: akshayapatil2189@gmail.com. Ph.: 8451944169

Abstract

Standardizing *Svedan Karma* is not just a theoretical need, but a practical, clinical, research, and legal necessity. With defined protocols, validated parameters, and objective outcome tools, *Svedan* can be practiced more safely, taught more clearly, and integrated more effectively into modern healthcare. *Svedan Chikitsa*, one of the prime modalities in Ayurveda, is traditionally employed to induce perspiration and promote internal heat, aiding in the management of *Vata* and *Kapha* dominant disorders. Rooted in classical references, *Svedan* acts by opening *srotas* (microchannels), softening *doshas*, and facilitating their excretion. However, in modern integrative healthcare systems, the therapeutic effects of *Svedan* need to be quantified using evidence-based methodologies.

This conceptual study aims to explore the thermogenic and sudorific (sweating) effects of *Svedan Karma* by correlating Ayurvedic principles with modern scientific tools. Techniques such as Digital Skin Contact Thermometry, Gravimetric Sweat Analysis, and physiological monitoring (BP, ECG) are discussed as objective parameters for assessing

thermal distribution, sweat output, and systemic responses.

Keywords:

Sweat Analysis, *Svedan karma*, Standardization

1. Introduction

Svedan Chikitsa, or fomentation therapy, is a fundamental treatment modality in Ayurveda designed to induce perspiration. It is primarily used to relieve *Stambha* (stiffness), *Gaurav* (heaviness), and *Shula* (pain). It is widely practiced as part of Purva Karma before Panchakarma procedures such as *Vaman* and *Virechan*, as well as in the management of *Vata-Kaphaja* disorders and lifestyle diseases like obesity and musculoskeletal conditions.

Modern scientific tools now provide the opportunity to objectively measure the physiological effects of *Svedan* notably, thermogenesis (heat generation) and sweating (sudation) making it possible to validate classical Ayurvedic wisdom with evidence-based data. A conceptual understanding and comparison of Ayurvedic descriptions with modern thermo-physiology and sweating mechanisms is essential to validate *Svedan*

scientifically and integrate it in lifestyle disorder management.

Aim:

To explore the conceptual and physiological basis of the **thermogenic and sweating effects of Svedan Chikitsa**, and to correlate it with modern assessment tools and principles.

Objectives:

- To analyse classical Ayurvedic references on *Svedan* and its intended thermal effects.
- To conceptually correlate classical *Svedan* mechanisms with tools like thermography, sweat rate monitors, and skin temperature analysis.

Review of Literature ^{1,2,3}

a. Concept of *Svedan* in Ayurved

- **Definition:** "Swedanam swidyate yena tat swedanam" (Cha. Su. 14/39) — the procedure that induces sweat is called *Svedan*.
- **Types:** Classified as *Sagni* (with heat) and *Niragni* (without heat); *Bashpa Sveda* (steam therapy) being a primary example of *Sagni Sveda*.
- **Actions:** *Srotoshodhan* (cleansing of channels), *Ama pachan* (digesting metabolic toxins), *Vatanuloman* (normalizing Vata). *Svedan* helps to liquefy the vitiated *Doshas* and facilitates their elimination during Panchakarma therapies. It also opens the blocked microchannels, facilitating better tissue metabolism.

Methodology

Conceptual Framework for Study

1. *Svedan Chikitsa* (application of controlled heat/steam)
2. Induction of Thermogenesis
3. Peripheral Vasodilation & Heat Redistribution
4. Sweat Secretion via eccrine glands
5. Physiological Effects:
 - Reduction in stiffness
 - Improved circulation

- Detoxification via skin
- Subjective feeling of lightness

Parameters for Evaluation:

Category	Parameter	Tool/Method
Core Temp.	Tympanic Temperature	Digital Thermometer
Sweating	Sweat Volume	Gravimetric Pads
Hemodynamics	Pulse/BP	Digital BP Machine
Subjective Relief	Lightness, Relaxation	Questionnaire/ Likert Scale

Modern Tools Used for Objective Assessment

Tool	Use
Gravimetric Sweat Analysis	Calculates sweat loss by weight before/after <i>Svedan</i>
Digital Thermometers	Measures tympanic or core temperature
BP Monitor, ECG	Measures cardiovascular response
Subjective Scales	Questionnaires for sensation assessment/Case record form

1. Gravimetric Sweat Analysis

Gravimetric Sweat Analysis is the measurement of sweat output based on the change in weight of a pre-weighed absorbent medium (such as filter paper, gauze, or sweat patches) placed on the skin.

Materials Needed:

- Pre-weighed absorbent material (e.g., cotton pad, gauze, filter paper)
- Digital precision weighing balance (sensitivity: 0.001 g)
- Occlusive dressing (to prevent evaporation)
- Timer or stopwatch
- Environmental controls (temperature, humidity)

Procedure:

1. Pre-weigh the dry absorbent material (e.g., gauze or pad).
2. Place it on the target body site (e.g., forehead, chest, axilla, back) before the *Svedan* procedure.
3. Seal it with occlusive covering to avoid sweat evaporation.
4. Subject undergoes *Svedan* therapy (e.g., *Bashpa Sveda*, *Nadi Sveda*).
5. After a defined time (e.g., 10–20 minutes), remove the material and re-weigh it immediately.
6. Calculate sweat rate as:

$$\text{Sweat Rate (mg/min/cm}^2\text{)} = \frac{\text{Weight Gain (mg)}}{\text{Time (min)} \times \text{Surface Area (cm}^2\text{)}}$$

Variable Breakdown

- **Sweat Rate** (mg/min/cm²): The amount of sweat produced per minute per square centimeter of skin surface area.
- **Weight Gain** (mg): The mass of sweat collected (often measured by weighing an absorbent patch or filter paper before and after the application period).
- **Time** (min): The total duration during which the sweat was collected.

- **Surface Area** (cm²): The surface area of the skin covered by the collection device or patch.

Example Calculation

If a collection patch with an area of 10 cm² absorbs 150 mg of sweat over a duration of 15 minutes:

$$\text{Sweat Rate} = \frac{150 \text{ mg}}{15 \text{ min} \times 10 \text{ cm}^2} = \frac{150}{150} = 1 \text{ mg/min/cm}^2$$

Application of this method can be proposed as a **non-invasive, cost-effective tool** to:

- Quantify ***Samyak Sveda Lakshan*** (adequate sweating).
- Compare **types of *Svedan*** (*Snigdha*, *Ruksha*, *Nadi*, *Bashpa*).
- Correlate **individual sweat patterns** with **dosha predominance**.
- Used in dermatology, sports medicine, and hyperhidrosis diagnosis.

2.DIGITAL THERMOMETERS

Digital Oral Thermometer

- Measures core body temperature
- Used pre- and post-*svedan* to monitor internal thermogenic changes

Digital Skin Contact Thermometer

To accurately measure localized skin surface temperature before and after *Svedan Karma*. It provides quantitative data that reflects the heat distribution and retention on the body due to thermogenic stimulation.

3.BP Monitor, ECG

To monitor and document the hemodynamic and cardiac responses to *Svedan Karma*. These tools help evaluate the systemic thermogenic impact on cardiovascular function and ensure safety and standardization.

Electrocardiogram (ECG)

Purpose:

- To detect any **acute cardiac rhythm changes** during or after *Svedan Karma*
- Provides insight into **autonomic nervous system (ANS) modulation**:

parasympathetic dominance is expected after proper *Svedan* (relaxation response)

- Monitors for **unseen cardiac stress**, particularly in elderly or lifestyle-disorder patients.

Table showing significance of monitoring chart

Parameter	Objective Use	Ayurvedic Correlation	Research Value
Blood pressure monitor	Tracks vascular response	<i>Snigdhatā</i> and <i>Srotoshodhan</i> cause peripheral vasodilation	Quantifies systemic effect
ECG	Detects rhythm and ANS activity	Reflects <i>Sama Vata</i> and <i>Swastha Chetana</i>	Shows neuro-cardiac adaptation post-Swedana

4. Questionnaires for sensation assessment/Case record form (CRF)

Questionnaires and CRFs bridge the gap between classical Ayurvedic symptomatology and modern scientific validation. They help document subjective sensations, correlate them with objective data, ensure safety, and support the clinical standardization of *Svedan Karma*. A questionnaire or case record form in *Svedan Karma* documentation must go beyond just demographic or procedural records. It should capture Ayurvedic *lakṣhaṇa* biomedical parameters, subjective sensations, and instrumental measurements in an integrative, structured, and reproducible format. A thoughtfully designed CRF becomes an essential tool in Ayurvedic research, enhancing the clinical credibility, data quality, and evidence-based validation of *Svedan Karma* in modern times.

Standardization also requires customization based on:

- *Prakriti* (constitution)
- *Rutu* (season)
- *Roga-Avastha* (stage of disease)
- *Agni Bala* and *Roga Bala*

Discussion

This conceptual study outlines how *Svedan Chikitsa*, a time-tested Ayurvedic therapy, can be objectively analysed using modern scientific tools. Incorporating such tools will enhance

clinical standardization, interdisciplinary research, and global acceptance of Panchakarma therapies.

Significance of the Study

- Establishes scientific validation of *Svedan* therapy
- Bridges Ayurvedic concepts with modern physiology
- Encourages integration of Ayurveda in mainstream research
- Helps develop standard protocols using measurable parameters

Evidence-Based Documentation

Well-designed sensation questionnaires and CRFs support:

- **Data collection** for research publication
- **Quantitative scoring** (e.g., Likert scale for warmth, comfort, sweat volume)
- **Statistical analysis** and validation of *Svedan* as a therapeutic intervention
- Development of standard treatment protocols (STPs)

Modern Physiological Understanding

- Sweating and heat exposure induce various measurable physiological changes:

Parameter	Physiological Impact
Surface temperature	Increased via vasodilation and heat conduction
Core temperature	Slight rise, activates thermoregulation
Sweat response	Increased eccrine gland activity
Circulation	Enhanced blood flow and peripheral perfusion
Detoxification	Elimination of some waste through sweat

- Thermogenesis, or internal heat generation, triggers the body's sweat response, which serves as a cooling mechanism and metabolic stimulant. These responses can be quantified using modern tools such as gravimetric sweat collection, and digital temperature sensors.

Conclusion

This conceptual study outlines how *Svedan Chikitsa*, a time-tested Ayurvedic therapy, can be objectively analysed using modern scientific tools. The ability to assess thermogenic and sudatory responses offers a promising step toward evidence-based Ayurveda.

References

1. Agnivesha. *Charaka Samhita*, revised by Charaka and Dridhabala with Ayurved Deepika commentary by Chakrapanidatta. Reprint ed. Varanasi: Chaukhambha Sanskrit Sansthan; 2021. Sutra Sthana, Chapter 14, Verse 5.
2. Sushruta. *Sushruta Samhita* with Nibandhasangraha commentary by Dalhanacharya. Reprint ed. Varanasi: Chaukhambha Orientalia; 2020. Chikitsa Sthana, Chapter 32.
3. Sharma RK, Dash B. *Caraka Samhita – Text with English Translation*. Vol. 1–3. Varanasi: Chowkhamba Sanskrit Series Office; 2005.
4. Saper RB, Kales SN, Paquin J, Burns MJ, Eisenberg DM, Davis RB, et al. Heavy metal content of Ayurvedic herbal medicine products. *JAMA*. 2004 Dec 15;292(23):2868–73. doi:10.1001/jama.292.23.2868
5. Nadel ER, Bullard RW, Stolwijk JA. Importance of skin temperature in the regulation of sweating. *J Appl Physiol*. 1971;31(1):80–7. doi:10.1152/jappl.1971.31.1.80
6. Ring EFJ, Ammer K. Infrared thermal imaging in medicine. *Physiol Meas*. 2012 Mar;33(3):R33–46. doi:10.1088/0967-3334/33/3/R33
7. Taylor NA, Tipton MJ, Kenny GP. Considerations for the measurement of core, skin and mean body temperatures. *J Therm Biol*. 2014 Jul;46:72–101. doi:10.1016/j.jtherbio.2014.10.006
8. Machado AF, Micheletti JK, Lopes JSS, Vanderlei FM, de Almeida AC, Pastre CM. Infrared thermography as a method of identifying skin temperature changes in athletes: A systematic review. *Physiother Theory Pract*. 2017;33(10):808–16. doi:10.1080/09593985.2017.1357154
9. Chaurasia RN, Singh A, Prasad K. Role of Sweating in Health and Disease: A Review. *J Clin Diagn Res*. 2016;10(5):OE01–4. doi:10.7860/JCDR/2016/19334.7756
10. Tripathi JS. A Conceptual Study on the Principles of Panchakarma Therapy. *AYU*. 2010;31(3):352–8. doi:10.4103/0974-8520.77164
11. Stöhr EJ, González-Alonso J. Inadequate heat release from exercising limbs during severe heat stress. *J Physiol*. 2011;589(Pt

- 17):4787–97.
doi:10.1113/jphysiol.2011.210377
12. Huttunen P, Rintamäki H, Hirvonen J. Effect of regular winter swimming on the thermoregulation of healthy women during cold and heat exposure. *Int J Circumpolar Health*. 2001;60(3):400–6.
doi:10.3402/ijch.v60i3.17556
13. Guyton & Hall. Textbook of Medical Physiology. Elsevier; 14th ed.
14. Lee H et al. Application of infrared thermography in assessment of body temperature during thermal therapies. *J Therm Biol*. 2020;85:102414.

Conflict of Interest: *Non*

Source of funding: *Nil*

Cite this Article:

Akshaya G. Patil, Hetal Mori Jariwala. "Conceptual study: Thermogenic and sweating effects of Svedan Chikitsa using modern tools".(2026),

Ayurline: International Journal of Research In Indian Medicine:10(6),

Article Url: <https://www.ayurline.in/index.php/ayurline/article/view/1122>

Crossref DOI: <https://doi.org/10.52482/ayurline.v10i6.1122>
